

POPULATION HEALTH INSIGHTS GUIDE

TO HELP IDENTIFY APPROPRIATE
OLDER ADULT PATIENTS FOR RSV
VACCINATION AND EVALUATE
RSV IMMUNIZATION RATES IN
YOUR HEALTH SYSTEM

Table of Contents

01.	Guide Overview	3
02.	Background	4
03.	Oracle Health EHR HealthIntent Population Health Suite High-Level Overview	5
04.	Overview of HealtheRegistries Within the HealthIntent Module	6
05.	Using HealtheRegistry to Track RSV Vaccinations at the System Level	7
06.	Technical Instructions for Configuring HealtheRegistries to Help Identify Older Adult Patients Potentially Eligible for RSV Immunization per CDC Recommendations.....	8
07.	Technical Instructions for Modifying Registry Inclusion Rules for Registries	9
08.	How to Configure Registry Metrics/Key Performance Indicators to Monitor Population Health Metrics in Oracle Health.....	10
09.	Key Population Health Configuration Use Cases.....	12
10.	Disclaimers.....	15
11.	Notes	16

01. Guide Overview

This Population Health Insights Guide is intended to help health systems make configuration updates in the Oracle Health (formerly Cerner) EHR Population Health Suite (HealthIntent) to generate reports that may identify useful insights to support improving RSV immunization rates. This guide provides suggestions and instructions to monitor and manage RSV immunization rates and associated population health metrics across the health system.

This guide will not work for other conditions, treatments, therapeutic areas, or on other EHR systems.

This guide provides specific considerations for:

- Identifying older adult patients with RSV immunization care gaps
- Using Oracle Health-released registries to provide visibility into immunization care gaps
- Using clinical decision support tools to create care gap awareness in the EHR for clinicians

Additionally, this guide will provide an overview of the HealthIntent module, commonly used features of HealthIntent, and technical instructions to configure these features across the registries, reporting tools, and health maintenance features within the HealthIntent solution suite.

The processes outlined in this piece are variable, and not all steps will apply to every customer. Any steps or settings that are not part of a customer's standard process should be excluded or modified accordingly. Any questions should be directed to the appropriate service provider. The practice is solely responsible for implementing, testing, monitoring, and operating of any EHR tools.

This guide is designed for organizations using the most recent Oracle Health code set. Some configurations may be required by a clinical analyst.

Key Terms Used in This Guide

CDC = Centers for Disease Control and Prevention

DA2 = Discern Analytics 2

Discern Alert = alert in Oracle Health

DRG = Diagnosis Related Group

HCP = healthcare provider

RSV = respiratory syncytial virus

YOA = years of age

02. Background

Importance of Managing Adult Immunization to Support Population Health at the Health System Level

The Oracle Health EHR system offers functionality for health systems to manage immunizations at the system or population level by supporting a health system's existing population health strategy. After a health system sets a strategy, which can include improving immunization rates amongst vulnerable populations and standardizing immunization processes, tactics can be set at both the health system and local levels to reach these goals. HealthIntent provides critical tools to support both the strategy and tactics.

Individual tactics—for example, creating a list of patients with immunization care gaps—can help provide valuable care and insights into what is working well at both the health system and individual provider levels. A system-wide approach is suggested to create economies of scale and reduce any outliers that may negatively affect the health system's RSV immunization efforts.

This guide provides instructions on how to help identify older adult patients who may be appropriate for RSV vaccination per CDC vaccination recommendations found [here](#). These patients are individuals 75 years of age and older and individuals 50 through 74 years of age who are at increased risk for severe RSV.¹

03. Oracle Health EHR HealthIntent Population Health Suite High-Level Overview

HealthIntent, Oracle Health's population health management solution, includes:

- Comprehensive care management tools
- Advanced reporting capabilities for actionable insights
- Engagement solutions for both providers and patients
- Tools to empower patient activation
- Support for value-based care initiatives

Health systems can utilize HealthIntent to help improve RSV immunization rates

04. Overview of HealtheRegistries Within the HealtheIntent Module

A critical component of HealtheIntent is **the HealtheRegistry solution**. Registries are commonly used to drive clinical outcomes at the health system level, provide data insights, and expose clinical variation to help guide the health system to meet strategic imperatives for achieving RSV vaccination for appropriate patients.

Registries allow health organizations to identify subsets of their patient population. Registries are organized around a common health element(s) known as **registry inclusion rules**. Common inclusion rules include age, chronic conditions, diagnoses, health measures, immunization status, or other clinical factors. Patients who meet the selected inclusion rule for a particular registry are automatically included in the registry.

Since registries are dynamic, patients who no longer meet the inclusion metric are excluded from the registry, and new patients may be introduced. This is handled by a back-end program and does not require providers to actively enroll patients in a registry.

Oracle Health provides many commonly used health registries to health systems; the most relevant registry for immunizations in the Oracle Health EHR system is the Wellness Registry. However, organizations can modify registries and their inclusion rules to meet their desired specific population health programs.

It is important to note that registries can consume data feeds from outside organizations if desired. For immunizations, consider identifying if a state immunization registry is available to feed historic administered immunizations. Adding this data feed provides a complete immunization history to providers, and the immunization rules acted upon by the registry can forecast any immunization(s) due.

Defining registries and registry inclusion factors, components, and outcomes are critical elements of a population health strategy.

Registry metrics and supporting facts are components used to collect data that are pertinent to the patients in the defined population registry. Once a metric and supporting fact is associated with a registry, reports can be created from the population subset and these metrics can be used to show the captured data to gain insight on the patient's condition.

Proposed registry metrics for RSV immunization registries and technical instructions for configuring them can be found in later sections of this guide.

05. Using HealtheRegistry to Track RSV Vaccinations at the System Level

Population health insights and registries at the health system level may offer:

- The opportunity to evaluate health system immunization rates
- The ability to help identify and monitor sites within the health system that are not achieving immunization goals
- RSV-specific clinical decision tools, such as Health Maintenance Alerts and Discern Alerts, which support a standards-based approach to addressing RSV
- The ability to utilize social determinants of health to help identify barriers and help develop impactful RSV immunization efforts

As health systems provide longitudinal healthcare to their members, setting up immunization tactics at the system level can potentially add supplementary touchpoints with patients (expanding from primary care-based encounters to acute and other care settings).

RSV immunization campaigns can be launched at the local level and expanded and scaled to the health system level if desired. Consider modifying the patient report and Health Maintenance Alert scope from a local instance to the health system when scaling up.

06. Technical Instructions for Configuring HealtheRegistries to Help Identify Older Adult Patients Potentially Eligible for RSV Immunization per CDC Recommendations

Registries are based on a general inclusion rule and may contain multiple metrics to define outcomes related to the common registry element. For immunizations, the inclusion rule is age, and multiple wellness age-based registries are available.

The “Comprehensive Adult Wellness” Registry is the default HealtheRegistry that includes all health system patients used for setting adult immunization expectations (additional Registries include the same Measure, for example, the “Senior Wellness” and “Adult Immunization” Registries). Patients who meet CDC recommendations will automatically be assigned when HealtheRegistries and Health Maintenance are aligned in Oracle Health when they meet the immunization criteria.

Please note that when not electing to use Health Maintenance Alerts, manual Discern Alerts can be created and used. This option would require manual configuration and a maintenance burden on the health system to manage all immunization recommendations and preventive health maintenance recommendations from the US Preventive Services Task Force.

07. Technical Instructions for Modifying Registry Inclusion Rules for Registries

The registry inclusion rule determines who should be part of the registry. This is usually a condition or disease, whereas age is used for the Wellness Registry.

The integration of the HealtheRegistries and Health Maintenance Alerts requires an association in the healthexp tool to appropriately reflect the immunizations in the HealtheRegistries tab of the Recommendations section in PowerChart. To set up the association:

1. **Select the RSV schedule** in the healthexp tool.
2. **Check the radio button** next to Associate to a HealtheRegistry measure on the Expectation screen and **select RSV**.
3. **Click Validate** and then **Commit** to save the information.

NOTE: The Wellness Registry may not capture all patient vaccinations outside the health system. Therefore, it's important for HCPs to review patient immunization history and update vaccination records as appropriate.

08. How to Configure Registry Metrics/Key Performance Indicators to Monitor Population Health Metrics in Oracle Health

Registry metrics provide insights into what needs to be measured for the subset of patients in the registry.

Oracle Health-released registries come with multiple registry metrics. Metric rules can be edited, modified, or added. To create or modify the configuration logic, set the logic expression and Enabled/Disabled status as desired.

For the Immunization registry metrics, consider the following Key Performance Indicators (KPIs) and related parameters. These KPIs serve as examples of reports a health system may find useful for tracking RSV immunizations. However, each health system can customize and configure KPIs based on its specific population health priorities and initiatives.

Registry Metric	KPI	Rule Parameters	Intended Improvement
RSV Vaccination Rate ≥ 75 YOA	% of adults aged 75 years and older who are vaccinated against RSV	- Age: Years - Operator: $\geq$ - Value (or Property): 75	Increase the % of adults aged 75 years and older who have completed RSV vaccination
RSV Vaccination Rate (older adult patients at risk for severe RSV)	% of adults 50 through 74 YOA who are at risk for severe RSV	- Age: Years - Operator: $\geq$ AND $<$ - Value (or Property): 50-75 AND - Diagnosis: Problem List - Active Problems Only?: Yes - Operator: Equal to ($=$) - Value (or Property): See page 11 for examples of conditions that have been associated with increased risk for severe RSV	Increase the % of adults 50 through 74 YOA who have completed RSV vaccination
Underperforming Sites	Sites that are below the RSV vaccination goal for this health system	Rule to set the RSV vaccination goal AND SER Facility item number (NOTE: the rule to set the RSV vaccination goal may already exist)	Increase % of RSV vaccination for eligible older adult patients across the underperforming sites

08. How to Configure Registry Metrics/Key Performance Indicators to Monitor Population Health Metrics in Oracle Health (continued)

Health system customers are encouraged to rely on existing Diagnosis Related Groups (DRGs) within their EHR systems to identify specific patient populations.

The Wellness Registry will identify patients for RSV vaccination per CDC recommendations. You may also want to educate these patients regarding their risk of severe RSV illness associated with certain chronic conditions. The following diagnosis codes may help identify those patients in your search query.

Table 1: Examples of Comorbidities That Have Been Associated With Increased Risk of Severe RSV Illness²	
Disease	ICD-10 Code/Description³
Coronary Artery Disease (CAD)	I25 - Chronic ischemic heart disease
COPD	J44.0 - Chronic obstructive pulmonary disease with (acute) lower respiratory infection J44.1 - Chronic obstructive pulmonary disease with (acute) exacerbation J44.9 - Chronic obstructive pulmonary disease, unspecified
Asthma	J45 - Asthma
Congestive Heart Failure	I50.2 - Systolic (congestive) heart failure

NOTE: The conditions listed in Table 1 are not exhaustive and only serve as an example to help identify older adult patients who may be at increased risk for severe RSV. Health system stakeholders should review and amend as they see fit to identify and manage older adult patients.

09. Key Population Health Configuration Use Cases

9.1 How to access and use the registry data/scorecards

Population health registry data can be accessed in the Oracle Health EHR in a few ways:

1. Reports via Dynamic Worklist or DA2
2. The HealtheRegistries application

The below provides an overview and instructions for accessing each of the above-listed options.

Reports

Dynamic Worklist or DA2 are end-user reporting tools that can be used to access registry data. Access and permission to either reporting tool may vary but both can be used to review patient information. A comprehensive patient search list and automated patient outreach resource provides full details on how to leverage both reporting solutions. All patients who meet the registry inclusion rule are included in the registries and can be included in the report. Consider the registry and the registry metric criteria to create the desired report. For example, to find all appropriate patients without an RSV immunization, use the Registry criterion and the Registry Metric count criterion for the patient.

Registry-based information can be added in many reporting templates. Consider adding registry criteria (for example, the Registry Metric criterion) and display columns (for example, the Patient Registry Metric Value column) in reports. A unique Registry criterion is available in Dynamic Worklist.

HealtheRegistries

1. **Access HealtheRegistries** in the app bar. Access may be restricted to certain roles.
2. **Click the Registries tab** on the top of the screen. Consider selecting Scorecard or Announcements to review summarized information if desired.
3. From the available options, **select an organization**. The provided options are determined by the initial configuration of the registry in HealthIntent.
4. From the pull-down menu, **select the desired registry**, for example, "wellness".
5. Registry Supporting Facts can be sorted by clicking the Completion % or Met % options in the pull-down menu. To view the data in a spreadsheet, **click the table button**. Registry Supporting Facts tiles that are red indicate that the measure is not achieved. The tile turns blue once the measure is achieved.
6. For individual provider metrics, **click the organization** to reveal all associated providers. Clicking on an individual provider reveals their performance against the selected Registry Fact.
7. **Click Export** to export the selected data set.

09. Key Population Health Configuration Use Cases (continued)

9.2 How to share population health reports and scorecards

Results from Dynamic Worklist and DA2 reports can be exported and shared to other users.

For Dynamic Worklist:

1. **Navigate to the List Actions tab** when creating a report.
2. **Select Share** and **enter the user, group, or pool with whom to share the report.**

For DA2:

1. **Navigate to the Report** and **right-click** the name of the report.
2. **Select Schedule** from the drop-down menu and **select the user, group, or with whom to share the report.**

Users can be provided access to dashboards within HealtheRegistries in order to access the application.

09. Key Population Health Configuration Use Cases (continued)

9.3 How to create immunization tactics in Oracle Health's HealthIntent

Because Population Health touches many stakeholders in a health system, gaining buy-in from the key constituents is critical. Building an RSV immunization program requires a strategy and approved tactics.

When setting up the RSV population health program, consider the following milestones:

1. Identify all stakeholders: The population health/quality team may have extensive knowledge in setting up similar programs and have a playbook available. A clinical champion/leadership team tasked to drive immunizations across the health system can orchestrate the strategy and tactics. The EHR team may need to refine the registry inclusion rule and registry metrics and create reports and clinical decision support aligned to the strategy.
2. Creating the RSV immunization program: A timeline of milestones, objectives, and key personnel involved can set expectations for each phase of the RSV program.
3. An interface may be required to connect with the state immunization registry to provide a complete immunization history of patients.
4. Identify the target population: Given historical RSV immunization rates, what is the target rate to achieve?
5. Besides the overall RSV immunization rate, what other key performance (registry) metrics related to RSV can be defined and are meaningful?

10. Disclaimers

- Conditions and ICD codes listed in this guide are only examples to help identify patients. Ultimately, it is up to the HCP/health system to select the conditions, ICD codes, and/or medications they feel put a patient at increased risk of severe RSV and to determine whether a patient is appropriate for vaccination
- The customer (ie, physician, medical group, IDN) shall be solely responsible for the implementation, testing, and monitoring of the instructions to ensure proper orientation in each customer's EHR system
- Capabilities, functionality, and setup (customization) for each individual EHR system vary. GSK shall not be responsible for revising the implementation instructions it provides to any customer if the customer modifies or changes its software or the configuration of its EHR system, after such time as the implementation instructions have been initially provided by GSK
- While GSK tests its implementation instructions on multiple EHR systems, the instructions are not guaranteed to work for all available EHR systems and GSK shall have no liability thereto
- While EHRs may assist providers in identifying appropriate patients for consideration of assessment, treatment, and referral, the decision and action should ultimately be decided by a provider in consultation with the patient, after a review of the patient's records to determine eligibility, and GSK shall have no liability thereto
- The instructions have not been designed to and are not tools or solutions for meeting Advancing Care Information and/or any other quality/accreditation requirement
- All products are trademarks of their respective holders, all rights reserved. Reference to these products is not intended to imply affiliation with or sponsorship of GSK and/or its affiliates

11. Notes

[illegible]

References: **1.** Centers for Disease Control and Prevention. Respiratory syncytial virus infection (RSV). RSV vaccine guidance for adults. Accessed March 23, 2026. <https://www.cdc.gov/rsv/hcp/vaccine-clinical-guidance/adults.html> **2.** Centers for Disease Control and Prevention. Respiratory syncytial virus infection (RSV). Clinical overview of RSV. Accessed March 23, 2026. <https://www.cdc.gov/rsv/hcp/clinical-overview/index.html> **3.** Centers for Medicare & Medicaid Services. ICD-10 codes. Accessed March 23, 2026. <https://www.cms.gov/medicare/coding-billing/icd-10-codes>



Trademarks are property of their respective owners.

©2026 GSK or licensor.

NPUS-RVULBND260002 April 2026

Produced in USA.
